

**CITY OF AUBURN
SEWER CONNECTION PERMIT**

Owner's Name _____ Address _____

Permit for (address) _____

Description _____

Sewer Connection Builder _____

Address _____

I hereby make application for a permit for a sanitary sewer connection to the above described property, and do for myself, my heirs, and assigns hold the City of Auburn harmless for any loss or damage that may in any way result or be caused by the making of such connection.

Said sewer connection to be built in conformity with City Standard Plans and Specifications governing the construction of sewer connections as follows:

1. All liquid house waste, basement drainage, and weep tile may be put into the Sanitary Sewer.
2. Eaves, downspouts, roof water, or any other surface water is not allowed to be connected to the Sanitary Sewer.
3. The City Clerk shall be given notice when any work is ready for inspection, and all work must be left uncovered, and convenient for examination until inspected and approved.
4. Material requirements are as follows:
 - A. There shall be a minimum of two (2) feet, maximum of four (4) feet of cast iron pipe extending outside of house or building to be connected.
 - B. Any house or building not adequately trapped within, shall provide a trap on the outlet of the house or building to be connected.
 - C. The house or building sewer shall be installed in a separate trench and shall be of six (6) inch vitrified clay sewer pipe with ASTM C-425 Type 1 performed joints.
 - D. There shall be a minimum of one-quarter (1/4) inch fall per foot in the house or building sewer connection.
5. Additional specifications attached.

Date _____

Signature

Permit issued _____ 20_____

City Clerk

Fee _____